


LED VIDEOTRON SOLUTION



Why Choose LED Videotron by Innograph ?

Supported by 30 Years of Industry Experience • ISO 9001 - 14001 - 45001 Certified by KAN (Komite Akreditasi Nasional) • 2 Year Official Warranty by Innograph • Extended Warranty Option Up to 5 Years • Spare part Unit Availability for Operational Continuity • Direct Technical Support from Principal Manufacturer • Local LED Lamp Repair for Faster Service Turnaround



**All in One
Module Indoor**

**COB (Chip on Board)
Indoor**

**LED Modular
Indoor & Outdoor**

All in One Module LED Videotron Indoor

Model	LED Type	Resolution	Brightness	Contrast	Power	Module Size	Life time	TKDN + BMP
P1.8	SMD 1515	171 * 192	500 nit	6.500 : 1	295 w / m2 (max)	320 * 360 * 39 mm	≥100.000 h	38,43 %
P2.5	SMD 2121	128 * 144	600 nit		98 w / m2 (avg)	Weight 1,16 kg	front access	41,58 %

- **All In One Module**
(Module-PCB-Receiving Card-Power Supply)
- **One Brand for All Component**
(Module-Controller-Kabel Power-Kabel Network)
- **Android Controller Box**
(Wireless Screen Sharing-Split Screen)
- **16:9 Ratio Video**
(58", 87", 116", 145", 173", 202", 231", 260", 289", 318")
- **Control via Mobile Phone / Tablet**



All in One Module



Android Controller



Wireless Screen Sharing
from PC, Laptop, Tablet, Mobile Phone
(Android / Apple) up to 4 screen



All in One LED Videotron 116" dan 145"




**LED CONFIG
APK**



Split Screen Between Source (Android, HDMI)

- One Screen
- Dual Screen
- Three Screen
- Four Screen
- Centered Screen
- Custom



DIGITAL PODIUM

Pemasangan All in One Module Menjadi LED Display Videotron atau All in One LED Videotron



Standard Rangka
Hollow Galvanis



Pemasangan Module, Kabel
Network dan kabel power





Pemasangan Ringkas & Rapi

COB (Chip on Board)

LED Videotron Indoor

Pixel P1.5 P1.2 P0.9



Smooth Surface

Fully Flip Chip COB
Energy Saving
Integrated Cabinet
(Module-RC-S)

Thin Cabinet

Aluminum Diecast
60 * 33,75 * 4 cm 3.8 kg
16:9 Ratio Cabinet 27 inch

15.000:1 Contrast Ratio

High Brightness 800 Nit
3840 Hz Refresh Rate



Command Center



LED Modular

Indoor P1.8 P2.5 P4

Outdoor P4 P5 P6 P8 P10



Module Videotron
320 x 160 mm



Fixed Install
Rangka Hollow Indoor



Cabinet Diecast
Indoor



Cabinet Iron
Outdoor



Cabinet Diecast
Outdoor




Controller | Video Processor Novastar / Colorlight / Huidu

Others LED Videotron



Rental Series

P2.6 P2.9 P3.9
Indoor & Outdoor



Transparent Series

P3.9 P7.8 P10.4
Indoor & Outdoor




Flexible Series

P1.8 P2.5
Indoor



Custom Shape

P2.5 Indoor Outdoor



AFTER SALES
SERVICES



- JAKARTA • BANDUNG
- CIREBON • SEMARANG
- BOYOLALI • SURABAYA
- BALI • MEDAN • PEKANBARU
- SAMARINDA • BANJARMASIN
- MAKASSAR • MANADO
- JAYAPURA

Several Project References

INDOOR



OUTDOOR



RUMAH IBADAH



Some of Our Customers



PT. Innovasi Sarana Grafindo (InnoGRAPH)
Jl. Lenteng Agung No. 15 (Jl. Baug No. 2), Jakarta Selatan, 12610, Indonesia Telp: +62 21 7883 1075
Fax: +62 21 7883 1692 Email: cs@innograph.com

www.innograph.com