

DIGITRON

DIGISIGN

LED VIDEOTRON



Keunggulan dari DIGITRON (DIGISIGN LED VIDEOTRON)

- **3 in 1 Module.** LED Module – Receiving Card – Power Supply – PCB terintegrasi dalam satu Module Kabinet.
- **Module 320 x 360 mm.** Pilihan ukuran layar beragam untuk Video Rasio 16:9
- **Android Controller Box.** Wireless Screen Sharing, Apps Control via Mobile Phone
- **Siap pasang di Pilar / tiang (sudut 90 derajat)** tanpa modifikasi Module



3 in 1 Module LED Videotron



3 in 1 Module
Module - PCB - Receiving Card
Power Supply - IC Dalam 1 bodi

Ready 90° Install
Siap pemasangan sudut.
Tanpa modifikasi module



Indoor Module
P1.8 & P2.5
320 x 360 mm

All Component in One Brand



PCON 600 4K



PCON 200 2K



FCON 600 4K




Kabel Power

Kabel Network

Pemasangan Ringkas dan Rapi



Perbandingan dengan Videotron Konvensional



Mudah dilakukan, oleh banyak orang trampil, bahan bisa dibeli online atau di Glodok.

Keuntungan :

- Lebih murah, Terjangkau.
- Banyak yang jual.

Kekurangan :

- Unit terlalu banyak kabel, sambungan connector, rumit, tidak handal.
- Supplier tak jelas after sales service.
- Ketersediaan suku cadang ?
- Sulit install, maintenance.

Banyak Brand / Merk

Module

- Lampro
- Unilumin
- Talled
- Absen
- dll

Controller

- Novastar
- Color light
- Huidu
- dll

Power Supply

- Whoosh
- Chunglian
- Mean Well
- No Brand
- dll

Conference / Meeting Room

Use Exceed share
to screen share
from PC, Tablet,
Mobile Phone
(Android / Apple)
up to 4 screen

Screen
Mirroring



FCON 600 Controller

Laptop
Tablet
Mobile Phone

Android
iOS
Windows

Rumah Ibadah / Auditorium / Kelas



Control Room

Control via Mobile Phone / Tablet



- Screen Sharing
- Brightness
- Remote control
- Touch Panel (mouse)



LED CONFIG
APK



* Download LEDConfig Smart Control app on official website

Product Parameter

PRODUCT MODEL	Indoor P1.8	Indoor P2.5
Resolution	171 * 192 = 32.832	128 * 144 = 18.432
Resolution / m2	285.000	160.000
Maximum Power Cons	295W/m ²	
Module Size	320 * 360 * 39	
Module Weight	1.16 Kg	
Contrast	6500 : 1	
Brightness	500 nits	600 nits
Viewing Angle	117°/H, 170 °/V	
LEDs Life Time	≥100.000 h	
Maintenance Mode	Front	

TABEL ukuran LED Module Videotron **Ratio 16:9**


1 module 32 x 36 cm

	32	64	96	128	160	192	224	256	288	320	352	384	416	448	480	512	544	576	608	640	672	704
36	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22
72	2																					
108	3																					
144	4																					
180	5																					
216	6																					
252	7																					
288	8																					
324	9																					
360	10																					
396	11																					



Conten Management System (CMS)

Subscribe and setup in minutes ▪ Easy manage multi brand screen (Android, Tizen, WebOS, Windows) ▪ Hassle-free setup ▪ Real cloud system with Security & Backup system ▪ Streamline & detail User Management ▪ Enhanced Device Management tools ▪ Powerful Data-Set View Configuration ▪ Detailed Reporting (device, proof of play, bandwidth, layout, media)



PT. Inovasi Sarana Grafindo (InnoGRAPH)
 Jl. Lenteng Agung No. 15 (Jl. Baung No. 2), Jakarta Selatan, 12610, Indonesia Telp: +62 21 7883 1075
 Fax: +62 21 7883 1692 Email: cs@innograph.com

www.innograph.com